

# **LANZONE Racks & Accessories**

LANZONE comes with a commitment to represent as manufacturing Open Racks, networking rack, Floor Mount Steel Racks, Wall Mount Racks, Telecom Racks, End-To-End Server Racks, and distribute a full time of quality and reliable networking products. We are with the mission to deliver the foremost, innovative, versatile and cost effective product in tune with changing technologies. We aim to deliver innovative and versatile products, which are in line with the latest technology, and at cost effective prices

The primary & present goal are to receive the highest rating and qualification of quality for our business operations and provided IT solutions & services that exceed our customer's expectations with attitude of continuous improvement.

Today's businesses face a common set of cable management challenges. IT **networking rack and server rack systems**, having evolved over the years, there are some things that never change -excessive heat, poor cable organization and dwindling security leading to unauthorized access can damage or impair the operation of vital systems.

**LANZONE** provides modular **Networking Rack** and **Server Rack** to maximize space availability with the flexibility to accommodate varying multiple-staged capacities. Our products enable unencumbered access to the right information at the right time along with steadfast support that allows you to demand the most from us. Choosing the right rack mount accessory for your **Server Rack Cabinets**& Enclosures can help improve life cycle energy efficiency and costs.



## Wall Mounting Rack





### **FEATURES**

Max Loading 60kg

Welded Frame, Reliable structure

Cable entry on Top & Bottom cover

Turing angle of front door over 180

Powder coating frame RAL 7035 door RAL 7038

Convenient and quick wall mounting

19" standard installation

Front Toughened Glass Door

Material SPCC Quality Cold Rolled Sheet

Model No	Capacity	Dimensions WxDxH(mm)
LZ-MWM04U 05-04	4U	550 X 450 X 231
LZ-MWM06U 05 – 04	6U	550 X 450 X 321
LZ- MWM09U 05 – 04	9U	550 X 450 X 456
LZ- MWM12U 05 – 04	12U	550 X 450 X 595
LZ- MWM15U 05 – 04	15U	550 X 450 X 721



### **Eco Rack**



### **FEATURES**

Exquisite design with precise dimension and craftsmanship
Front door toughened glass door
Static loading 600Kg
Compatible with 19" International standard
Cable entry on the top and bottom cover
Turning angle of front and rear door over 180°
Material SPCC Quality cold rolled sheet
Powder coating Frame RAL 7035 Door RAL 7016

Model No	Capacity	Dimensions WxDxH (mm)
LZ-MFS17U 06-06	17U	600 X 600 X 946
LZ-MFS22U 06-06	22U	600 X 600 X 1170
LZ-MFS27U 06-06	27U	600 X 600 X 1390
LZ-MFS32U 06-06	32U	600 X 600 X 1610
LZ-MFS37U 06-06	37U	600 X 600 X 1836
LZ-MFS42U 06-06	42U	600 X 600 X 2065

# LANZONE Power Of Technology

### **Heavy Rack**



#### **FEATURES**

Exquisite design with precise dimension and craftsmanship
Cable entry on the top and bottom cover
Front door toughened glass door
Static Loading 800Kg
Adjustable Feet and Heavy Duty Castors
Compatible with 19" International standard
Removable side panels to ease maintain
Turning angle of front and rear door over 180°
Material SPCC Quality cold rolled sheet
Powder coating Frame RAL 7035, RAL 7016 and RAL 9005

Model No	Capacity	Dimensions WxDxH (mm)
LZ-MFSH27U 06 - 08	27U	600 X 800 X 1463
LZ- MFSH27U 06 - 10	27U	600 X 1000 X 1410
LZ- MFSH37U 06 - 10	37U	600 X 1000 X 1856
LZ- MFSH42U 06 - 10	42U	600 X 1000 X 2068
LZ- MFSH42U 08 - 10	42U	800 X 1000 X 2068

# LANZONE Power Of Technology

## Open Rack



### **FEATURES**

High Strength 6061-T6 aluminum construction
High strength roll formed threaded mounting Holes
Supplied with Anchor fasteners
Supplied with two top angles for maximum strength
Weight capacity - 800kg
Powder coated RAL 9005 (Black)

Model No	Capacity	Dimensions WxH (mm)
LZ- MOR45U	45U	514 X 2147



### Rack Accessories



**1U Cantilever Tray** 



**Single Fan Assy** 



**Server Tray** 



**Closed Cable Manager** 



**Open Cable Manager** 



**Power Manager** 



**Two Fan Tray** 



**Keyboard Tray** 



**Fastners**